



MİTSubİSHİ MARKA, 52.000 BTU. 3 ADET İÇ ÜNİTELİ. KUMANDALARI MEVCUTTUR. KULLANILMIŞ ÜRÜN. AYAK VE BAĞLANTI PARÇALARI YOKTUR.

Stok Numarası: 453533





MITSUBISHI
HEAVY INDUSTRIES, LTD.

PACKAGED AIR CONDITIONER
SPLIT TYPE (室外机 OUTDOOR UNIT)

MODEL 型号 FDC15SKXK6L
SERVICE CODE 服务代码 FDC15SKXK6L
(TOTAL INPUT) = (OUTDOOR INPUT) + 1/2 (INDOOR INPUT)
(总输入功率) = (室外机输入功率) + 1/2 (室内机输入功率)
(TOTAL CURRENT) = (OUTDOOR CURRENT) + 1/2 (INDOOR CURRENT)
(总电流) = (室外机电流) + 1/2 (室内机电流)
POWER SUPPLY 电源 220-240V~ 50Hz/220V~ 60Hz
PERFORMANCE 性能 220-240V~

| | | |
|-------------------------|------|------|
| COOL 制冷 | 15.5 | |
| HEAT 制热 | 16.3 | |
| INPUT 室外机输入功率 | 4.71 | 4.71 |
| OUTDOOR UNIT ONLY 室外机单独 | 4.38 | 4.38 |
| CURRENT 室外机电流 | 21.3 | 21.3 |
| OUTDOOR UNIT ONLY 室外机单独 | 21.9 | 21.1 |

NOISE LEVEL 噪音 COOL HEAT 制冷 制热
MAX INPUT = (TOTAL INPUT) × 1.3
(最大输入功率) = (总输入功率) × 1.3

| | | |
|---|-------|-----|
| STARTING CURRENT 启动电流 | 5 | A |
| TYPE OF REFRIGERANT 制冷剂 | R410A | |
| FACTORY RSE CHARGE 出厂制冷剂充注量 | 5.0 | kg |
| MAX HIGH PRESSURE 最大高压 | 4.15 | MPa |
| ORIGINATION CLASS 原产地类别 | | |
| MAX LOW PRESSURE 最大低压 | 2.21 | MPa |
| F REFRIG. 制冷剂 | 5.2 | kg |
| COMPRESSOR MOTOR 压缩机电动机 | 50 | Hz |
| INT ROOF 室内机 | 1 | |
| PROTECTION AGAINST ELECTRIC SHOCK CLASS 防触电保护等级 | 1B | |

PRODUCT No. P4003P0227

MANUFACTURING DATE 制造日期: 2015
SERIAL NO. (出厂编号) 00286NF
www.mitsubishi-aircon.com

三菱重工株式会社
3-1, ASAHI NIPPONBARI CHU, SOTOBU BLDG, 452-8561 JAPAN
3-1, ASAHI NIPPONBARI CHU, SOTOBU BLDG, 452-8561 JAPAN

MITSUBISHI
HEAVY INDUSTRIES, LTD.
PACKAGED AIR CONDITIONER
SPLIT TYPE (INDOOR UNIT)

MODEL 型号 FDK4SKX6F
SERVICE CODE 服务代码 FDK4SKX6F/1
POWER SUPPLY 电源 220-240V~ 50Hz / 220V~ 60Hz
CLIMATE CLASS 气候类别 T1
SERIAL NO. 出厂编号 A01700566EX
MANUFACTURING YEAR 制造年份 2015

| | | | |
|-------------------------|---------|--------------------|-----|
| CAPACITY 容量 | COOL 制冷 | 4.5 | kW |
| | HEAT 制热 | 1.2 | BTU |
| INPUT 输入 | COOL 制冷 | 3.0 | kW |
| INDOOR UNIT ONLY 室内机单独 | HEAT 制热 | 0.05 - 0.05 / 0.05 | kW |
| CURRENT 电流 | COOL 制冷 | 0.05 - 0.05 / 0.05 | A |
| INDOOR UNIT ONLY 室内机单独 | HEAT 制热 | 0.23 - 0.21 / 0.22 | A |
| NET WEIGHT 净重 | | 11 | kg |
| MAX HIGH PRESSURE 最大高压 | | 4.15 | MPa |
| TYPE OF REFRIGERANT 制冷剂 | | R410A | |

SEE LABEL ON OUTDOOR UNIT FOR TOTAL INPUT TOTAL CURRENT MAX INPUT
室外机铭牌上标有总输入功率总电流最大输入功率

三菱重工株式会社
3-1, ASAHI NIPPONBARI CHU, SOTOBU BLDG, 452-8561 JAPAN
PHAROEN 1450, PHAOI 17 7830
MADE IN THAILAND