





MİTSubİSHİ MARKA, 52.000 BTU. 3 ADET İÇ ÜNİTELİ. KUMANDALARI MEVCUTTUR. KULLANILMIŞ ÜRÜN. AYAK VE BAĞLANTI PARÇALARI YOKTUR.


Stok Numarası: 453855











(EN) This Product contains fluorinated greenhouse gases covered by the Kyoto Protocol.  
 (FR) Ce produit contient des gaz à effet de serre fluorés relevant du Protocole de Kyoto.  
 (DE) Dieses Produkt enthält fluorchaltige Treibhausgase, die unter das Kyoto-Protokoll fallen.  
 (IT) Questo prodotto contiene gas fluorurati a effetto serra trattati nel Protocollo di Kyoto.  
 (ES) Este producto contiene gases fluorados de efecto invernadero incluidos en el Protocolo de Kyoto.  
 (NL) Dit product bevat gefluoreerde broeikasgassen die vallen onder de voorschriften van het Kyoto Protocol.  
 (PT) Este equipamento contém gases fluorados com efeito de estufa, abrangidos pelo protocolo de Quioto.  
 (GR) Αυτό το προϊόν περιέχει φθοριωμένα αέρια θερμοκηπίου που καλύπτονται από το Πρωτόκολλο του Κιότο.

Refrigerant - Réfrigérant - Kältemittel - Refrigerante - Refrigerante - Koudemiddel - Φριγόνειο - Ψυκτικό **R410A**

① Factory Charge (See Model Name Label) - Charge en usine (Voir la plaque signalétique de l'appareil) - Werkseitige Füllmenge (Siehe Modell-Typenschild) - Quantità caricata in fabbrica (Si prega di vedere la targhetta del nome del modello) - Carga de fábrica (Consulte la etiqueta de nombre del modelo) - Fabrieklading (Zie ook het typeplaatje met het modelnummer) - Carga de Fábrica (Ver a etiqueta de características) - Εφόρμα από το εργοστάσιο (Δείτε την ετικέτα του εργοστασίου)

② Additional Charge - Charge complémentaire - Zusätzliche Füllmenge - Quantità aggiuntiva - Carga adicional - Aanvullende lading - Carga Adicional - Πρόβλεπτο γέμισμα

Total Charge ①+② - Charge totale ①+② - Gesamte Füllmenge ①+② - Quantità totale ①+② - Carga total ①+② - Totale lading ①+② - Carga Total ①+② - Συνολικό γέμισμα ①+②

**MITSUBISHI**  
HEAVY INDUSTRIES, LTD.

**PACKAGED AIR CONDITIONER**  
SPLIT TYPE (室外机 OUTDOOR UNIT)

MODEL 型号 **FDC140KXEN6**

SERVICE CODE 服务代码 **FDC140KXEN6/L**

(TOTAL INPUT) = (OUTDOOR INPUT) + Σ(INDOOR INPUT)  
 (总输入功率) = (室外机输入功率) + Σ(室内机输入功率)

(TOTAL CURRENT) = (OUTDOOR CURRENT) + Σ(INDOOR CURRENT)  
 (总电流) = (室外机电流) + Σ(室内机电流)

POWER SUPPLY 电源 **220-240V ~, 50Hz/220V ~, 60Hz**

PERFORMANCE 性能

220-240V ~			
ISO CAPACITY	能力	kW	COOL 制冷 HEAT 制热
-T1			14.0 16.0
INPUT 室外机输入功率 (OUTDOOR UNIT ONLY)		kW	COOL 制冷 4.17 — 4.17 HEAT 制热 4.31 — 4.31
CURRENT 室外机电流 (OUTDOOR UNIT ONLY)		A	COOL 制冷 20.6 — 18.9 HEAT 制热 21.5 — 19.7

NOISE LEVEL 噪声级数 (COOL 制冷 HEAT 制热) **53 / 57** dB(A)

(MAX. INPUT) = (TOTAL INPUT) × 1.4  
 (最大输入功率) = (总输入功率) × 1.4

STARTING CURRENT 启动电流 **5** A

TYPE OF REFRIGERANT 制冷剂 **R410A**

FACTORY REF. CHARGE 出厂时制冷剂入量 **5.0** kg

MAX. HIGH PRESSURE 最大高压 (热交换器的最大工作压力) **4.15** MPa

MAX. LOW PRESSURE 最大低压 **2.21** MPa

P NUMBER 型号 **P24**

COMPRESSOR MOTOR 压缩机电动机 **2.9** kW

UNIT WEIGHT 机总重量 **85** kg

PROTECTION AGAINST ELECTRIC SHOCK CLASS **I**

器具防触电保护类别 **I类**

PRODUCT No. **PCA003F032S**

MANUFACTURING DATE 制造年 **2015**

SERIAL NO. 出厂编号 **A837 00403 MF**

**MITSUBISHI HEAVY INDUSTRIES, LTD.**  
**三菱重工業株式会社**

3-1, ASAH, NOSHIRAJIMA-CHO, NOSHU, YAMAGUCHI 752-8561, JAPAN  
 MADE IN THAILAND 泰国制造

CE  
 CCC  
 PSB011F171 DB